

# THE EASY GUIDE to 6mm LED SCREEN




# Anna Valley

DISPLAYS

CURVABLE HIGH RESOLUTION  
6mm indoor LED DISPLAY

**TOSHIBA**



Facilities



Anna Valley  
DISPLAYS



Live

Shooting | Partners Group

AVAILABLE FOR HIRE FROM


[www.annavalley.co.uk](http://www.annavalley.co.uk)

tel: +44 (0)20 8941 4500


# POSSIBLE SCREEN SIZE EXAMPLES

Number Of Modules H x V	Total Modules	Aspect Ratio	Screen Area		Dimension		Pixels H x V	Weight		Power Max (W)
			(m <sup>2</sup> )	(ft <sup>2</sup> )	H x V (mm)	H x V (ft)		Kg	lb	
1	1	1:1	0.15	1.6	384	1.25	64	9	20	230
4	3	4:3	1.77	19	1536	5.04	256	108	238.4	2,760
5	4	4:3	2.95	31.7	1920	6.3	320	180	397.4	4,600
8	6	4:3	7.08	76.2	3072	10.08	512	432	953.6	11,040
10	7	4:3	10.32	111.1	3840	12.6	640	630	1390.7	16,100
12	9	4:3	15.93	171.4	4608	15.12	768	972	2145.7	24,840
16	12	4:3	28.31	304.7	6144	20.16	1,024	1728	3814.6	44,160
20	15	4:3	44.24	476.2	7680	25.2	1,280	2700	5960.3	69,000
5	3	15:9	2.21	23.8	1920	6.3	320	135	298	3,450
7	4	16:9	4.13	44.4	2688	8.82	448	252	556.3	6,440
9	5	16:9	6.64	71.4	3456	11.34	576	320	405	10,350
11	6	16:9	9.73	104.8	4224	13.86	704	384	594	13,113
14	8	112:69	16.52	177.8	5376	17.64	896	1008	2225.2	25,760
18	10	16:9	26.54	285.7	6912	22.68	1,152	1620	3576.2	41,400
20	11	16:9	32.44	349.2	7680	25.2	1,280	1980	4370.9	50,600


## RIGGING




## STANDING



## FLOWN




## CURVED




# EASY GRAPH

Measurements in Millimeters

**Concave**





**Convex**




**Anna Valley**  
 DISPLAYS  
 Tel: +44(0) 20 8941 4500  
[www.annavalley.co.uk](http://www.annavalley.co.uk)

# CURVABLE LED DISPLAY

- Purpose designed to create maximum impact indoors
  - Curved / Portable / Modular / Lightweight
  - Upto 20 Degrees Concave / 10 Degrees Convex
  - 6mm pixels for brilliant and vivid colour with 170° viewing angle



## Module Specifications

<b>LED Pixels</b>	6mm pitch Surface-Mount Display type LEDs
<b>Brightness</b>	2,400 cd/m <sup>2</sup>
<b>Display Colours</b>	Over 1 billion colours
<b>Image Depth</b>	Approximately 1,024 steps 10 bit minimum
<b>Viewing angle</b>	170 degrees
<b>Pixel Number</b>	64 (H) x 64 (V)
<b>Display Size</b>	384mm x 384mm (15 inches x 15 inches)
<b>Weight</b>	9Kg (20lb)
<b>Power Consumption</b>	230 Watt (MAX)
<b>Power Supply</b>	AC100V-240V single phase
<b>Curved</b>	20 degrees concave / 10 degrees convex Option: Flat Frame
<b>Input</b>	SDI 625PAL 525NTSC HDSDI 1080/720 DVI upto 1920 X 1080